

## REFERENCES DU CHAPITRE 01

- BELEGUNDI (A.D.), ARORA (J.S.),** - *A computational study of transformation methods for optimal design.* AIAA J., 22 (4):535-542, (1984).
- CULIOLI J. (C.),** - *Introduction à l'Optimisation,* Ellipses, ISBN 2-729- 89428-4, (1994).
- DE JONG (K. A.),** - *An Analysis of the Behaviour of a Class of Genetic Adaptive Systems,* PHD Thesis, University of Michigan, (1975).
- FLETCHER (R.),** - *Practical Methods of Optimization,* John Wiley & Sons, ISBN 0-471-49463-1, (1987).
- FOGEL (L. J.),** - *Evolutionary Programming in Perspective: The Top-Down View,* in Zurada, pp. 135-146, (1994).
- FOLDAGER (J.), HANSEN (J.S.), OLHOFF (N.),** - *A general approach forcing convexity of ply angle optimization in composite laminates,* Structural Optimization, v. 16, pp. 201-211. (1998).
- GILL (P.E.), MURRAY (W.), WRIGHT (M.H.),** - *Practical optimization.* Academic press, New York. (1981).
- GLOVER (F.),** - *Tabu Search - Part I,* ORSA Journal on Computing, vol. 1, n. 3, pp. 190-206, (1989).
- GLOVER (F.),** - *Tabu Search - Part II,* ORSA Journal on Computing, vol. 2, n. 1, pp. 4-32, (1990).
- GOLDBERG (D.),** - *Algorithmes génétiques. Exploration, optimisation et apprentissage automatique* (traduction de l'anglais), Addison and Wesley France, Paris. (1994).
- HAFTKA (R.T.), KAMAT (M.P.),** - *Elements of structural optimization.* Martinus Nijhoff, Dordrecht. (1985).
- HAUG (E.J.), ARORA (J.S.),** - *Applied optimal design.* Wiley Interscience, New York. (1979).
- HOLLAND (J. H.),** - *Adaptation in Natural and Artificial System.* The University of Michigan Press, ISBN 0-472-08460-7, (1975).
- HU (N.),** - *Tabu Search Method with random moves for globally optimal design.* International Journal for Numerical Methods in Engineering, vol. 35, n. 5, pp. 1055-1070, (1992).
- KIRKPATRICK (S.), GELATT (C. D.), VECCHI (M. P.),** - *Optimization by Simulated Annealing.* Science, 220, pp. 671-680, (1983).
- KOZA (J. R.),** - *Genetic Programming.* Cambridge, MA, MIT Press, (1992).
- LE RICHE (R.), HAFTKA (R.),** - *Optimization of laminate stacking sequence for buckling load maximization by genetic algorithm.* AIAA Journal, v. 31, no. 5, pp. 951-956. (1993).
- LOCATELLI (M.), SCHOEN (F.),** - *Random linkage: a family of acceptance / rejection algorithms for global optimization.* Mathematical Programming, 85: 379-396, (1999).
- MCCORMICK (G.P.),** - *Second order conditions for constrained optima.* SIAM J. Applied Mathematics, 15:641-652, (1967).
- MICHALEWICZ (Z.),** - *Genetic Algorithms + Data Structures = Evolution Programs.* Springer Verlag, ISBN 3-540-58090-5, (1994).
- PRESS (W.H.), TEUKOLSKY (S.A.), VETTERLING (W.T.), FLANNER (B.P.),** - *Numerical recipes in fortran.* Second Edition, Cambridge. Cambridge University Press, (1992).
- RECHENBERG (I.),** - *Evolution Strategy.* in Zurada, pp. 147-159, (1994).
- SOREMEKUN (G.), GÜRDAL (Z.), HAFTKA (R.), WATSON (L.),** - *Composite laminate design optimization by genetic algorithm with generalized elitist selection,* Composites and Structures. v. 79, pp. 131-143. (2001).

## REFERENCES DU CHAPITRE 02

- AMMAN (M.) FEKETE N. (P.), GUZZELLA (L.), GLATTFELDER A. (H.), - *Model based control of the VGT and EGR in a turbocharged common rail Diesel engine: Theory and passenger car implementation*. SAE paper 2003-01-0357, (2003).
- ARNOLD (J.F.), - *Proposition d'une stratégie de commande à base de logique floue pour la commande du circuit d'air d'un moteur Diesel*. PHD thesis, Rouen University, France, (2007).
- BAI (L.) & YANG (M.), - *Coordinated control of EGR and VNT in turbocharged Diesel engine based on intake air mass observer*. SAE paper 2002-01-1292, (2002).
- BENSON (R.S.), BARUAH (P.C.), - *Some further tests on a computer program to simulate internal combustion engine*. SAE Technical Paper 730667. (1973).
- CHEN (S.) & BILLINGS (S.), - *Neural networks for non-linear dynamic systems modelling and identification*. International Journal of Control, 56, 319-346. (1992).
- CICHY (M.), KONCZAKOWSKI (M.), - *Bond graph model of the ic engine as an element of energetic systems*. Mechanism and Machine Theory, 36(6), pp 683-687, (2001).
- DEGOBERT (P.), - *Pollution atmosphérique, Post-traitements*. B2711, Techniques de l'ingénieur, (1995).
- DEGOBERT (P.), - *Pollution atmosphérique, Réglementations des véhicules automobiles*. B2712, Techniques de l'ingénieur, (1995).
- DE RISI (A.), DONATEO (D.), PAOLO (C.), FICARELLA (A.), - *A combined optimization method for common rail Diesel engines*, Proceedings of 2002 Spring Technical Conference of the ASME Internal Combustion Engine Division, Rockford (Illinois), (2002).
- DIXON (J.), GEORGE (S.C.), - *Optimal Boost Control for An Electrical Supercharging Application*. SAE paper 2004-01-0523. (2004) DOVIFAAZ (X.), - *Modélisation et commande de moteur Diesel en vue de la réduction de ses émissions*, Thèse de doctorat, UPJV, Amiens, France, (2001).
- GISSINGER (G.L.), LE FORT-PIAT (N.), - *Contrôle - Commande de la voiture*, Editions Hermès & Lavoisier. (2002).
- HACKER (K.A.), EDDY (J.), LEWIS (K.E.), - *Efficient global optimization using hybrid genetic algorithms*. 9<sup>th</sup> AIAA/ISSMO Symposium on Multidisciplinary Analysis and Optimization, Georgia (2002).
- HAFNER (M.), - *Model based determination of dynamic engine control function parameters*, SAE Spring Fuels & Lubricants Meeting, Orland, USA, (2001).
- HAFNER (M.), - *Model based determination of dynamic engine control functions parameters*. 01FL – 319, (2001).
- HASSENFOLDER (M.), GISSINGER (G.L.), - *Graphical eider for modelling with bound graphs in processes* ». ICBGM'93, California, pp. 188-192, (1993).
- HIROYASU (T.), MIKI (M.), KAMIURA (J.), WATANABE (S.), - *Multi-objective optimization of Diesel engine emissions and fuel economy using genetic algorithms and phenomenological model*. SAE technical paper 02FFL-183, (2002).
- JUNNG (D.), ASSANIS (D.N.), - *Multi-zone DI Diesel spray combustion model for cycle simulation studies of engine performance and emissions*. SAE paper, 2001-01-1246. (2001).
- JUNG (M.), - *Mean value modelling and robust control of the air path of a turbocharged diesel engine*. Thesis for doctor of philosophy, University of Cambridge, (2003).
- KAO (M.), MOSKWA (J.J.), - *Turbocharger Diesel engine modeling for non linear engine control and state estimation*. Trans ASME, JDSMC, 117, 20-30, (1995).
- KOLMANOWSKY (I), MOORAL (P), - *Turbocharger modeling for automotive control applications*. SAE paper, 1999-01-0908, (1999).

- KIM (Y)**, - *Numerical Study of Combustion Processes and Pollutant Formation in Hsdi Diesel Engines*. SAE paper 2004-01-0126. (2004).
- LI (D.), LU (D.), KONG (X.), WU (G.)**, - *Implicit curves and surfaces based on BP neural network*. Journal of Information & Computational Science, Volume 2, No 2, pages 259-271, (2005).
- LI (S.C), WILLIAMS (A.), GEBERT (K.)**, - *A Simplified, Fundamentally Based Method for Calculating NOx Emissions in Lean Premixed Combustors*. Combustion and Flame, v. 119:367–373 (1999)
- LIAZID (A.), CHAMPOUSSIN (J.C.), YOUNES (R.)**, - *State affine model of gaseous emissions of a diesel engine in transient conditions*. Revue Entropie. vol. 30, n°182, pp. 3-11. (1994).
- MIETTINEN (K), MAKELA (M.M.), MAARANEN (H.)**, - *Efficient hybrid methods for global continuous optimization based on simulated annealing*. Computers and Operations Research Vol. 33 , Issue 4 , (2006)
- MORAAL (P.E.), VAN NIEUWSTADT (M.J.), KOLMANOVSKY (I.V.)**, - *Coordinated EGR-VGT control for Diesel engines: an experimental comparison*. SAE paper, 2000-01-0266, (2000).
- MUYEL (F.), HERBERT (V.), DUMAS (L.)**, - *Réduction des émissions de CO2 : optimisation de la traînée aérodynamique automobile par algorithmes hybrides*. CANCAM (2003).
- OMRAN (R.), YOUNES (R.), CHAMPOUSSIN (J.C.)**, - *Neural Network for Real time Non Linear Control of a Variable Geometry Turbocharged Diesel Engine*. International Journal of Robust and Non linear Control, In Press. (2007).
- OMRAN (R.), YOUNES (R.), CHAMPOUSSIN (J.C.), FIDELLI (D.), MASSON (F.), GUERRASI (N.D.)**, - *Genetic algorithm for dynamic calibration of engine's actuators*. SAE paper 2007-01-1079, (2007).
- OMRAN (R.), YOUNES (R.), CHAMPOUSSIN (J.C.)**, - *Optimal Control of Diesel Engines: Methods and Applications*. 3rd International Conference on Advances in Vehicle Control and Safety. Argentina. 2007.
- OUENOU-GAMO (S.)**, - *Modélisation d'un moteur Diesel suralimenté*, Thèse doctorat, UPJV, Amiens, France, (2001).
- OULADSINE (M.), BLOSH (G.), DOVIFAZZ (X.)**, - *Neural Modeling and Control of a Diesel Engine with Pollution Constraints*. Journal of Intelligent and Robotic Systems; Theory and Application, (2004).
- OUTBIB (R.), DOVIFAAZ (X.), RACHID (A.), OULADSINE (M.)**, - *A theoretical control strategy for Diesel engine*. ASME Journal of Dynamic Systems, Measurement and Control, vol. 128, (2006).
- RACHID (A.), LIAZID (A.), CHAMPOUSSIN (J.C.)**, - *Nonlinear modeling of a turbocharged diesel engine*. Proceedings of the Third IEEE Conference on Control Applications, (1):133 – 136. (1994)
- RIVALS (I.)**, - *Modélisation et commande de processus par réseaux de neurones ; application au pilotage d'un véhicule autonome*, Thèse de Doctorat de l'Université Paris 6. (1995).
- SAULNIER (S.), SOLTANI (S.)**, - *Computational Study of Diesel Engine Downsizing Using Two-Stage Turbo charging*. SAE paper 2004-01-0929. (2004).
- SHI (W), YANG (J.), TANG (T.)**, - *Rbf nn based marine diesel generator modelling*. Proceeding of American Control Conference, Portland, OR, USA, (2005).
- WATSON (N.)**, - *Dynamic turbocharged diesel engine simulation for electric control system development*. ASME Journal of Dynamic Systems, Measurement and Control, 106. (1984).
- WINTERBONNE (D.E.), HORLOCK, (J.H.)**, - *The thermodynamics and gas dynamics internal combustion engines*. Oxford Science Publications, London, (1984).
- ZWEIRI (Y.H.)**, - *Diesel engine indicated torque estimation based on artificial neural networks*. International Journal of Intelligent Technology, Volume 1, No 3, pages 233-239, (2006).
- ZHONG (L.), HNEINE (N.A.), BRYZIK (W.)**, - *Simulation-Based Cold-Start Control Strategy for A Diesel Engine with Common Rail Fuel System at Different Ambient Temperatures*. SAE paper 2007-01-0933. (2007)

## RÉFÉRENCES DU CHAPITRE 03

- ABDELHAFID (Z.), PALIS (F.),** - *Prédiction des activations pour le mouvement de l'index à partir des signaux EMG.* Université Otto-Von-Guericke Magdeburg. Allemagne. (2004).
- AN (K.N.), CHAO (E.Y.), COONEY (W.P.), LINSCHIED (R.C.),** - *Forces in the normal and abnormal hand.* Raven press, New York, 3:202-211, (1985).
- ARMSTRONG (J.T.), CHAFFIN (B. D.),** - *An investigation of the relationship between displacements of the finger and wrist joints and the extrinsic finger flexor tendons.* Journal of Biomechanics, 11:119-128, (1978).
- ARORA (J.S.),** - *Optimum design.* Graw-Hill international editions, New York. (1989).
- AUDU (M.L.), DAVY (D.T.),** - *The influence of muscle model complexity in musculoskeletal motion modeling.* J. Biomechanical Engineering, 107:147-157, (1985).
- BELEGUNDU (A.D.), ARORA (J.S.),** - *A computational study of transformation methods for optimal design.* AIAA J., 22 (4):535-542, (1984).
- BOUFFIER (V.), LEROY (B.),** - *Modélisation et simulation du membre supérieur droit".* Institut National de Recherche et de Sécurité. Paris. (2004).
- CHALLIS (H.J.), KERWIN (G. D.),** - *Determining individual muscle forces during maximal activity: Model development, parameter determination, and validation.* Human Movement Science, 13:29-61, (1994).
- CHAO (E.Y.), AN (K.N.),** - *Determination of internal forces in human hand.* Journal of the engineering mechanics division, 104, (1978).
- CHALFOUN (J.), YOUNES (R.), BEN OUZDOU (F.),** - *Muscle Forces Prediction of the Human Hand and Forearm System in Highly Realistic Simulation.* IEEE International Conference on Intelligent Robots and Systems, Sendai, Japan. (2004)
- CHALFOUN (J.), YOUNES (R.), BEN OUZDOU (F.),** - *Forces Estimation by Penalised Lagrangian Method for Virtual and Biological Applications.* Journal AMSE, Modeling C, Vol. 65 n° 7/8, (2004).
- CHALFOUN (J.), YOUNES (R.), BEN OUZDOU (F.),** - *Physiological Muscle Forces, Activation and Displacement Prediction during Free Movement in the Hand and Forearm.* Journal of Robotics Systems, Vol. 22, Issue 11, (2005).
- CLAUDON (L.),** - *Relevance of the EMG/grip relationship in isometric anisotonic conditions.* International journal of occupational safety and ergonomics, 9 (2):121-134, (2003).
- CROWNNINSHIELD (R.D.), BRAND (R.A.),** - *A physiologically based criterion of muscle force prediction in locomotion.* J. Biomechanics, 14 (11):793-801, (1981).
- DAVY (D.T.), AUDU (M.L.),** - *A dynamic optimization technique for predicting muscle forces in the wing phase of gait.* J. Biomechanics, 20 (2):187-201, (1987).
- FETTER (W.A.),** - *A progression of human figures simulated by computer graphics.* IEEE Computer Graphics and Applications, 2(9):9-13, (1982).
- FLASH (T.), HOGAN (N.),** - *The coordination of human movements: an experimentally confirmed mathematical model.* J. Neuroscience, 5:1688-1703, (1985).
- FROLOV (A.A.), DUFOSSÉ (M.), RIZEK (S.), KALADJIAN (A.),** - *On the possibility of linear modeling the human arm neuromuscular apparatus.* Biol. Cybern, 82:499-515, (2000).
- GARNER (A.B.), PANDY (M.G.),** - *Estimation of musculotendon properties in the human upper limb.* Annals of Biomedical Engineering, 31:207-220, (2003).
- GILL (P.E.), MURRAY (W.), WRIGHT (M.H.),** - *Practical optimization.* Academic press, New York. (1981).
- HATZE (H.),** - *The complete optimization of a human motion.* Mathematical Biosciences, 28:99-135, (1976).

- HILL (A.V.)**, - *The heat of shortening and the dynamic constants of muscle*. Proceedings of the Royal Society of London, Serie B. 136-195, (1938).
- KAMPER (D.G.), HORNBY (T.G.), RYMER (W.Z.)**, - *Extrinsic flexor muscles generate concurrent flexion of all three finger joints*. Journal of Biomechanics, 35:1581-1589, (2002).
- KAPANDJI (I.A.)**, - *Physiologie Articulaires*. Tome 1, Membre Supérieur, Maloine, Paris, (1980).
- KAUFMAN (K.R.), AN (K.N.), CHAO (E.Y.)**, - *Incorporation of the muscle architecture into the muscle length tension relationship*. J. Biomechanics, 22:943-948, (1989).
- KHATIB (O.), SENTIS (L.), PARK (J.), WARREN (J.)**, - *Whole Body Dynamic Behavior and Control of Human-Like Robots*. International Journal of Humanoid Robotics, 1 (1):29-44, (2004).
- KUHN (CH.), KÜHNAPFEL (U.), KRUMM (H.G.)**, - *A virtual reality based training system for minimally invasive surgery*. Proc. Computer Assisted Radiology (CAR '96). Paris. (1996).
- LAMONTAGNE (M.)**. *Développement méthodologique pour la mesure in vivo de la tension dans le tendon rotulien chez l'humain*. Doctoral Thesis, École Polytechnique de l'Université de Montréal, Montréal. (1986).
- LIEBER (R.L.)**, - *Skeletal muscle is a biological example of a linear electro-active actuator*. Proceedings of SPIE's 6th Annual International Symposium on Smart Structures and Materials. 3669-03. San Diego, Ca, USA. (1999).
- LLOYD (G.D.), BESIÉ (F.T.)**, - *An EMG-driven musculoskeletal model to estimate muscle forces and knee joint moments in vivo*. J. Biomechanics, 36:765-776, (2003).
- LOEB (G.E.)**, - *The functional organization of muscles, motor units, and tasks*. Oxford University press:23-35, (1989).
- LONG (C.), BROWN (M.E.), WEISS (G.)**, - *Electromyographic kinesiology of the hand, part II. Third dorsal interosseous and extensor digitorum of the long finger*. Arch. Phys. Med. Rehab, 42:559-565, (1961).
- LONG (C.), BROWN (M.E.)**, - *Electromyographic kinesiology of the hand, part III. Lumbricals and flexor digitorum profundus of the long finger*. Arch. Phys. Med. Rehab, 43:450-460, (1961).
- MAUREL (W.)**, - *3D modeling of the human upper limb including the biomechanics of joints, muscles and soft tissues*. Ecole polytechnique fédérale de Lausanne. 185, (1999).
- MAUREL (W.), THALMANN (D.)**, - *A case study on human upper limb modeling for dynamic simulation*. Computer Methods in Biomechanics and Biomedical Engineering:1-17, (1999).
- MILLER (A.T.)**, - *Graspit! A Versatile Simulator for Robotic Grasping*. Department of Computer Science, Columbia University. (2001).
- PEDOTTI (A.), KRISHNAN (V.V.), STARK (L.)**, - *Optimization of muscle-force sequencing in human locomotion*. Mathematical Biosciences, 38:57-76, (1978).
- PIRES (E.B.), MARTINS (J.A.C.), CARVALHO (J.A.), SALVADO (L.R.), ENGEL (G.)**, - *3D Finite Element Prototype*. Esprit Project 9036 CHARM, IST Lisbon. (1996).
- RENAULT (M.)**, - *Vers la simulation dynamique de l'écriture manuscrite via un modèle anthropomorphe du membre supérieur*. Pierre et Marie Curie. Paris, (2005).
- SAGAR (M.A.), BULLIVANT (D.), MALLINSON (G.D.), HUNTER (P.J.), HUNTER (I.W.)**, - *A virtual environment and model of the eye for surgical simulation*. Computer Graphics Proceedings. 205-212, (1994).
- SCOTT (S.H.), WINTER (D.A.)**, - *A comparison of three muscle pennation assumptions and their effect on isometric and isotonic force*. Journal of Biomechanics, 24:163-167, (1991).
- SEREIG (A.), ARVIKAR (R.)**, - *Biomechanical analysis of the musculoskeletal structure for medicine and sports*. Hemisphere Publishing Corporation, (1989).
- THELEN (G.D.), ANDERSON (C.F.), DELP (L.S.)**, - *Generating dynamic simulations of movement using computed muscle control*. Journal of Biomechanics, 36:321-328, (2003).
- VHP**, - *Visible Human Project: Medical Education, Virtual Reality, and Surgical Simulation*. The University of Michigan. <http://vhp.med.umich.edu/VirtualReal.html>, (2003).

**ZAJAC (F.E.),** - *Determining muscle's force and action in multi-articular movement.* Exercise and Sport Sciences Reviews, 17:187-230, (1989).

**ZAJAC (F.E.),** - *Muscle and tendon: properties, models, scaling, and application to biomechanics and motor control.* Critical Reviews in Biomedical Engineering, 17:359-411, (1989).

**ZATSIORSKY (M.V.), ROBERT (W.G.), LATASH (M.L.),** - *Force and torque production in static multiphinger prehension: biomechanics and control. I. Biomechanics.* Biol. Cybern, 87:50-57, (2002).

**ZATSIORSKY (M.V.), ROBERT (W.G.), LATASH (M.L.),** - *Force and torque production in static multiphinger prehension: biomechanics and control. II. Biomechanics.* Biol. Cybern, 87:40-49, (2002).

## REFERENCES DU CHAPITRE 04

**ABOURA (Z.), EL HAGE (CH.), YOUNES (R.), BENZEGGAGH (M.L.),** - *Prédiction du comportement endommageable de matériaux composites à renfort orthogonal 3D.* 17<sup>ème</sup> Congrès Français de mécanique. CFM17, Troyes, France, (2005).

**AVRIL (S.), HAN (W.S.), VAUTRIN (A.),** - *Problématique de la conception d'un siège ferroviaire en matériaux composites.* Editions scientifiques et médicales. Elsevier SAS, Mec. Ind. 1,251-257. (2000).

**BAETEN (S.), VERPOEST (I.),** - *Optimization of a GMT-based cold pressing technique for low cost textile reinforced thermoplastic composites.* Composites Part A: Applied Science and Manufacturing, 30(5), 667-682. (1999).

**BARLOW (D.), HOWE (C.), CLAYTON (G.), BROUWER (S.),** - *Preliminary study on cost optimization of aircraft composite structures applicable to liquid molding technologies.* Composite Structures, 57(1-4), 53-57. (2002).

**BASSIR (D.H.), CARBILLET (S.), BOUBAKAR (M.L.),** - *Nouvelle approche pour une identification paramétrique d'un CMO.* Comptes rendus des JNC14 -14<sup>ème</sup> journées Nationales sur les Composites . 22, 23 et 24 mars 2005, Volume 2, 729-37. (2005).

**BERTHELOT (J.M.),** - *Matériaux composites : Comportement mécanique et analyse des structures.* Edition Masson (1992).

**CONECIAO (C.), TORRES MARQUES (A.), SOEIRO (A.),** - *Optimization of laminated composite structures using a bilevel strategy.* Composite Structures, 33, 193-200. (1995).

**DIACONU (C.G.), SATO (M.), SEKINE (H.),** - *Buckling characteristics and layup optimization of long laminated composite cylindrical shells subjected to combined loads using lamination parameters.* Composite Structures, 58(4), 423-433. (2002).

**DUVAUT (G.), DESMORAT (B.), DELETOMBE (E.),** - *Optimisation de renforts composites internes de structure tridimensionnelles.* CR. Acad. Sci. Paris, t.329, série II b, 549-555. (2001).

**DUVAUT (G.), VERIJENKO (V.),** - *A new elasticity problem and its application to the optimal wrapping.* Composite Structures, 54(2-3), 149-152. (2001).

**DUYSINX (P.),** - *Optimisation topologique: du milieu continu a la structure élastique.* Thèse de doctorat de l'Université de Liège. (1996).

**EL HAGE (CH.), ABOURA (Z.), YOUNES (R.), BENZEGGAGH (M.L.),** - *Experimental damage studies of 2.5D Interlock CFRP under uni-axial loading.* 12<sup>th</sup> European Conference on Composite Materials. ECCM12. Biarritz – France, (2006).

**EL HAGE (CH.), YOUNES (R.), ABOURA (Z.), BENZEGGAGH (M.L.),** - *Modélisation analytique et numérique des caractéristiques mécaniques d'un composite à renfort carbone 3D orthogonal.* 14<sup>ème</sup> journées Nationales sur les composites. JNC14, v. 2, p.699-708. France. (2005).

**EL HAGE (CH.), YOUNÈS (R.), ABOURA (Z.), BENZEGGAGH (M.L.),** - *Mechanical Behavior Modeling of the Orthogonal 3D composite Material.* Composites Science and Technology. (2007).

- EI HAGE (Ch.)**, - *Modélisation du comportement élastique endommageable de matériaux composites à renfort tridimensionnel*. Thèse de doctorat, Université de Technologie de Compiègne, (2006).
- EL MAGHRI (M.), RADI (B.)**, - *Bon comportement asymptotique et pénalisation intérieure des inégalités*. Proceeding of CIFMA01, Congrès International Francophone de la Mécanique Avancé 02-04 mai (2006).
- FARSHI (B.), HERASATI (S.)**, - *Optimum weight design of fiber composite plates in flexure based on a two level strategy*. Composite Structures, In Press, Corrected Proof. (2005).
- GOKCE (A.), HSIAO, (K.T.), ADVANI (S.)**, - *Branch and bound search to optimize injection gate locations in liquid composite molding processes*. Composite Part A, 33, 1263-72. (2002).
- GROSSET (L.)**, - *Optimization of composite structures by estimation of distribution algorithms*. Thesis for the degree of PHD of the University of Florida. (2004).
- HEXCEL.COMPOSITE**, - *Référence:société Hexcel composite*. <http://www.Hexcel.com>. (2004).
- HSIAO (K.T.), ADVANI (S.)**, - *Flow sensing and control strategies to address race-tracking disturbances in resin transfer molding- Part I: design and algorithm development*. Composites Part A: Applied Science and Manufacturing, 35(10), 1149-59. (2004).
- HSIAO (K.T.), LITTLE (R.), RESTREPO (O.), MINAIE (B.)**, - *A study of direct cure kinetics characterization during liquid composite molding*." Composites Part A: Applied Science and Manufacturing, In Press, Corrected Proof. (2005).
- KASSAPOGLOU (C.)**, - *Minimum cost and weight design of fuselage frames part B: cost consideration, optimization and results*. Composite Part A, 30(7), 895-904. (1998).
- KHELIL (K.)**, - *Evaluation expérimentale d'un critère de rupture tensoriel polynomial tridimensionnel pour matériaux composites*. Thèse de doctorat de l'Université de Compiègne. (1993).
- LAWRENCE (J.), HSIAO (K.T.), DON (R.), SIMACEK (P.), ESTRADA (G.), SOZER (M.)**, - *An approach to couple mold design and online control to manufacture complex composite parts by resin transfer molding*. Composite Part A: Applied Science and Manufacturing, 33(7), 981-90. (2002).
- LE RICHE (R.), HAFTKA (R.)**, - *Improved genetic algorithm for minimum thickness composite laminate design*. Composite Engineering 5(2), 143-61. (1995).
- LIU (B.), BICKERTON (S.), ADVANI (S.)**, - *Modeling and simulation of RTM: gate control, venting and dry spot prediction*. Composite Part A, 27, 135-41. (1996).
- MINOUX (M.)**, - *Programmation mathématique Tome 1&2*. Edition Dunod. (1983).
- MOTA SOARES (C.), FRANCO CORREIA (V.), MATEUS (H.), HERSKOVITS (J.)**, - *A discrete model for the optimal design of thin composite plate-shell type structures using a two-level approach*. Composite Structures, 30, 147-57. (1995).
- NARDARI (C.), FERRET (B.), GAY (D.)**, - *Simultaneous engineering in design and manufacture using the RTM process*. Composites Part A: Applied Science and Manufacturing, 33(2), 191-196. (2002).
- PANTELELIS (N.)**, - *Optimized cure cycles for resin transfer molding*. Composite Sciences and Technologie, 63, 249-64. (2003).
- PARK (C.H.), LEE (W.I.), HAN, (W.S.), VAUTRIN (A.)**, - *Weight minimization of composite laminated plates with multiple constraints*. Composites Science and Technology, 63(7), 1015-1026. (2003).
- PARK (C.H.), LEE (W.I.), HAN, (W.S.), VAUTRIN (A.)**, - *Simultaneous optimization of composite structures considering mechanical performance and manufacturing cost*. Composite Structures, 65(1), 117-127. (2004).
- PARK (J.), HWANG (J.), LEE (C.), HWANG (W.)**, - *Stacking sequence design of composite laminates for maximum strength using genetic algorithms*. Composite Structures, 52, 217-31. (2001).
- SCIDA (D.)**, - *Etude et modélisation du comportement mécanique des matériaux composites à renfort tissés hybrides et non hybrides*. Thèse de Doctorat de l'Université de Technologie de Compiègne. (1998).

**SMERVOV (A.)**, - *A computational study in optimum formulations of optimization problems on laminated cylindrical shells for buckling. i. Shells under axial compression.* Composite Sciences and Technologies, 60(11), 2057-66. (2000).

**SOFICAR**, - *Référence: Société de fibres de carbone.* <http://www.soficar-carbon.com>. (2004).

**THUIS (H.G.S.J.), BIEMANS (C.)**, - *Design, fabrication and testing of a composite bracket for aerospace applications.* Composite Structures, 38(1-4), 91-98. (1997).

**TODOROKI (A.), HAFTKA (R.)**, - *Stacking sequence optimization by a genetic algorithm with a new recessive gene like repair strategy.* Composite Part B, 29B, 277-85. (1998).

**TODOROKI (A.), ISHIKAWA (T.)**, - *Design with genetic algorithm using response surface approximation.* Composite Structures, 30, 147-57. (1995).

**WALKER (M.), SMITH (R.)**, - *A technique for the multi-objective optimization of laminated composite structures using genetic algorithms and finite element analysis.* Composite Structures, 62, 123-8. (2003).

**WANG (K.), KELLY (D.), DUTTON (S.)**, - *Multi-objective optimization of composite aerospace structures.* Composite Structures, 57(1-4), 141-148. (2002).

**ZINGRAFF (L.), MICHAUD (V.), BOURBAN (P.E.), MANSON (J.A.E.)**, - *Resin transfer molding of anionically polymerized polyamide 12.* Composites Part A: Applied Science and Manufacturing, 36(12), 1675-1686. (2005).